

INSPECT MONTANA | T&B HOUSE AND PROPERTY, LLC

(406) 241-9464 tim@inspectmt.com https://www.inspectmt.com



RADON INSPECTION

2748 Topahill Pl Stevensville MT 59870

Richmond Champion & Paige Lawrence APRIL 17, 2019



Inspector
Tim Netzley
NACHI09081108
(406) 241-9464
tim@inspectmt.com



Agent
Tanya Fyfe
Clearwater Montana Properties
406.210.7485
tanya@cmpmontana.com

Table of Contents

Table of Contents	2
1: DETAILS	3
2: RADON	4
STANDARDS OF PRACTICE	5

1: DETAILS

Information

Elapse Time

2 days

Monitor Location

Main Level

Measurement Interval

48 hr

Monitor Type: Model Number

Sun Nuclear 1028XP

Method

Continuous

2: RADON

Information

Summary: Average pCi/l

1.6 pCi/l



Summary: EPA Resources

Please read

This report includes test results from a radon-testing device that records the levels of radon gas in an air sample. The actual radon levels in the home **may vary depending on many factors** including, time, temperature, season, barometric pressure, ventilation, and other factors.

Homes tested using the EPAs protocol **should not be mitigated on the basis of a single short term test**as used for real estate transactions under EPA protocols. A follow-up test is necessary for mitigation decisionmaking regardless of the initial test result.

Consulting with a professional radon mitigation specialist is your best option for retesting if there is a concern for mitigation to reducing the level of radon in the home.

EPA recommends that you should "fix your home" if the radon level is equal to or greater than 4 pCi/L (the Action Level) and "consider fixing your home" it the radon level is equal to or greater than 2 pCi/L.

Homes should be checked every few years to make sure homes are lower than the 4pCi/L level set by the EPA, whether or not you have a mitigation system.

More information can be founddirectly at the EPA's website.

STANDARDS OF PRACTICE